

DAFTAR PUSTAKA

- Adila, Dewi Muharnia. (2010). Hubungan Self Esteem dengan Optimisme Meraih Kesuksesan Karir Pada Mahasiswa Fakultas Psikologi UIN Syarif Hidayatullah Jakarta. Skripsi. Jakarta : UIN Syarif Hidayatullah.
- Azzaniar, Qorina. 2010. Hubungan Antara Prokrastinasi Dan Stres Kerja Pada Pegawai Negeri Sipil. *Skripsi*. Fakultas Psikologi Universitas Sumatera Utara (tidak dipublikasikan)
- Azwar, S. 2003. *Metode Penelitian*. Yogyakarta : Pustaka Pelajar
- Baron, Robert A. & Byrne, Donn. (2004). *Psikologi Sosial*. Jakarta: Erlangga.
- Boice, R. 1996. *Procrastination and Blocking: A Novel, Partical and Approach*. Westport: Praeger.
- Burka, J.B., & Yuen, L.M. 1983. *Procrastination: Why You Do It: What To Do About It Now*. Newyork: Perseus Books
- Erma, 2013. Hubungan Antara Harga Diri Dengan Prokrastinasi Akademik Pada Mahasiswa. Fakultas Psikologi Universitas Muhammadiyah Surakarta. Skripsi. (Online) (http://eprints.ums.ac.id/24795/9/02._Naskah_Publikasi.pdf, diakses 13 Agustus 2016).
- Ferrari, G, L., Johnson, J.L., & McCown, W.G. 1995. *Procrastination and task avoidance: Theory, Research, and Treatment*. New York: Plenum Press.
- Felker, D.W. (1974). *Helping children to like themselves*. Minneapolis : Burgess Publising Company.
- Fibrianti, I.D. 2009. Hubungan antara Dukungan Sosial Orang Tua dengan Prokrastinasi Akademik dalam Menyelesaikan Skripsi pada Mahasiswa Fakultas Psikologi Universitas Diponegoro. *Skripsi*. Semarang: Fakultas Psikologi Universitas Diponegoro Semarang. Tersedia: <http://core.ac.uk/download/pdf/11710813.pdf>. Diakses tanggal 29/10/2015 , 22.15)
- Furchan, A. (2009). Beda antara belajar di sekolah dan di perguruan tinggi. Pendidikanislam.net. <http://pendidikanislam.net/index.php/untukFAsiswa-a-mahasiswa/37-trampil-belajar/63-beda-antara-belajar-di-sekolah-dan-diperguruan-tinggi> (Diakses pada tanggal 14/12/2015).
- Ghufron, M.N., & Risnawita, S.R. (2010). *Teori – teori Psikologi*. Yogyakarta: Ar-ruz Media Group.
- Hadi, S. 2004. *Metodologi Reaserch*. Yogyakarta : yayasan penerbit Psikologi UGM.

- Hurlock, E.B.1999. *Psikologi Perkembangan : Pendekatan Sepanjang Rentang Kehidupan*. Jakarta: Erlangga.
- Notoatmodjo, S.2010. *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta:Rineke Cipta
- Poerwodarminto.1986. *Kamus Umum Bahasa Indonesia*.Jakarta: Balai Pustaka.
- Reality. (2008). *Kamus terbaru bahasa Indonesia*. Surabaya: Reality Publisher.
- Rizal,Y.(2012).Hubungan Antara Prokrastinasi Akademik dan *Self-esteem*.Skripsi.Surabaya:Fakultas Psikologi Universitas Surabaya.
- Santrock,J.W.(2010).*Psikologi Pendidikan*.Jakarta:Kencana.
- Santrock,J.W.(2005). *Adolescence: Perkembangan Remaja*.(edisi keenam) Jakarta: Erlangga.
- Sokolowska, J.2009.Behavioral,cognitive,effective, and motivational dimensions of academic procrastination among community college students:AQ methodology approach. *Dissertation: AA,LaGuardia Community College,City University of New York*.
- Sugiyono. 2009. *Statistik Untuk Penelitian*. Bandung : Alfabeta
- Sudarsono, K. (2004). *Self Esteem dan perkembangan diri*. Jakarta : Rineka Cipta
- Stevanus, S.B. (2003). *Psikologi dan Pengembangan Diri*.Jakarta : Erlangga
- Takwin,B.(2008).menjadi mahasiswa bagustakwin .multiply.com.
<http://bagustakwin.multiply.com/journal/item/18> (Diakses pada tanggal 14/12/2015)
- Ursia N.R,Siaputra&Sutanto.2013.Prokrastinasi Akademik dan *Self-Control* pada Mahasiswa Skripsi Fakultas Psikologi Universitas Surabaya.*Jurnal*.Surabaya:Universitas Surabaya



LAMPIRAN



LAMPIRAN A
VALIDITAS DAN RELIABILITAS



LAMPIRAN A-1
UJI VALIDITAS DAN
RELIABILITAS
SELF ESTEEM

RELIABILITY

/VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 VA

R00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 VAR00021 VAR00022 VAR00023 VAR00024

/SCALE('self esteem') ALL

/MODEL=ALPHA

/STATISTICS=SCALE

/SUMMARY=TOTAL.

Reliability

Notes

Output Created		15-Aug-2016 14:36:18
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.

Syntax		RELIABILITY	
		<pre> /VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 VAR00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 VAR00021 VAR00022 VAR00023 VAR00024 /SCALE('self esteem') ALL /MODEL=ALPHA /STATISTICS=SCALE /SUMMARY=TOTAL. </pre>	
Resources	Processor Time		00:00:00.031
	Elapsed Time		00:00:00.017

[DataSet0]

Scale: self esteem**Case Processing Summary**

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.782	24


Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
VAR00001	63.3875	55.506	.477	.766
VAR00002	63.8000	57.630	.221	.780
VAR00003	63.8750	55.680	.407	.769
VAR00004	63.9375	57.629	.284	.776
VAR00005	63.9250	58.247	.221	.779
VAR00006	63.8375	57.809	.233	.779
VAR00007	63.5000	57.114	.322	.774
VAR00008	64.0750	57.564	.246	.779
VAR00009	63.9875	57.886	.221	.780
VAR00010	63.7625	54.715	.442	.767
VAR00011	63.6125	56.797	.345	.773
VAR00012	63.8500	53.522	.493	.763
VAR00013	64.0000	55.342	.352	.773
VAR00014	63.5500	57.111	.280	.777
VAR00015	63.5250	60.506	.071	.784

VAR00016	63.5500	57.947	.238	.779
VAR00017	63.9875	55.380	.441	.767
VAR00018	63.8875	60.000	.076	.786
VAR00019	63.9500	55.592	.416	.769
VAR00020	63.9875	54.519	.505	.764
VAR00021	63.6875	56.597	.288	.776
VAR00022	64.1750	57.361	.298	.776
VAR00023	63.6375	56.918	.326	.774
VAR00024	63.4500	57.441	.349	.773

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
66.5625	61.338	7.83185	24



LAMPIRAN A-2
UJI VALIDITAS DAN
RELIABILITAS
PROKRASINASI AKADEMIK

NEW FILE.

DATASET NAME DataSet1 WINDOW=FRONT.

RELIABILITY

/VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 VA

R00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 VAR00021 VAR00022 VAR00023 VAR00024

/SCALE('prokastinasi akademik') ALL

/MODEL=ALPHA

/STATISTICS=SCALE

/SUMMARY=TOTAL.

Reliability

Notes

Output Created		15-Aug-2016 14:37:33
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.

Syntax		RELIABILITY	
		<pre> /VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 VAR00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 VAR00021 VAR00022 VAR00023 VAR00024 /SCALE('prokastinasi') ALL /MODEL=ALPHA /STATISTICS=SCALE /SUMMARY=TOTAL. </pre>	
Resources	Processor Time		00:00:00.031
	Elapsed Time		00:00:00.031

[DataSet1]

Scale: prokastinasi akademik

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.775	24


Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
VAR00001	59.4500	58.301	.217	.773
VAR00002	59.9125	57.524	.246	.771
VAR00003	59.6375	55.677	.369	.764
VAR00004	60.1500	55.066	.398	.762
VAR00005	59.8875	54.911	.396	.762
VAR00006	59.7375	56.550	.344	.766
VAR00007	59.7625	58.082	.214	.773
VAR00008	60.3125	53.838	.537	.754
VAR00009	59.8625	63.462	-.268	.795
VAR00010	60.4750	52.582	.580	.750
VAR00011	59.6500	58.078	.213	.773
VAR00012	60.3125	53.483	.532	.754
VAR00013	59.9000	56.648	.409	.764
VAR00014	60.1375	54.323	.479	.758

VAR00015	60.0250	58.075	.273	.770
VAR00016	60.3250	57.387	.212	.774
VAR00017	59.7500	58.266	.254	.771
VAR00018	60.3000	55.681	.367	.764
VAR00019	60.0125	56.266	.365	.765
VAR00020	59.9125	57.448	.198	.775
VAR00021	60.2875	54.764	.432	.760
VAR00022	60.0000	61.392	-.087	.792
VAR00023	60.3625	54.361	.422	.761
VAR00024	60.2125	54.878	.355	.765

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
62.6250	60.972	7.80843	24



LAMPIRAN B

UJI NORMALITAS SEBARAN DAN

LINEARITAS HUBUNGAN



LAMPIRAN B-1

UJI NORMALITAS SEBARAN

DATASET ACTIVATE DataSet0.

NEW FILE.

DATASET NAME DataSet2 WINDOW=FRONT.

NPAR TESTS

/K-S(NORMAL)=x y

/STATISTICS DESCRIPTIVES

/MISSING ANALYSIS.

NPar Tests

Notes

Output Created		15-Aug-2016 14:45:51
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	99
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.

Syntax	NPAR TESTS		
	/K-S(NORMAL)=x y		
	/STATISTICS DESCRIPTIVES		
	/MISSING ANALYSIS.		
Resources	Processor Time		00:00:00.015
	Elapsed Time		00:00:00.017
	Number of Cases Allowed ^a		157286

a. Based on availability of workspace memory.

[DataSet2]

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
self esteem	80	33.7500	5.23982	21.00	46.00
prokastinasi akademik	80	35.0250	6.48850	22.00	52.00

One-Sample Kolmogorov-Smirnov Test

		self esteem	Prokastinasi akademik
N		80	80
Normal Parameters ^a	Mean	33.7500	35.0250
	Std. Deviation	5.23982	6.48850

Most Extreme Differences	Absolute	.069	.046
	Positive	.069	.042
	Negative	-.050	-.046
Kolmogorov-Smirnov Z		.621	.415
Asymp. Sig. (2-tailed)		.836	.995
a. Test distribution is Normal.			

EXAMINE VARIABLES=x y

/PLOT BOXPLOT STEMLEAF

/COMPARE GROUP

/STATISTICS EXTREME

/MISSING LISTWISE

/NOTOTAL.

Explore

Notes

Output Created	15-Aug-2016 14:47:02	
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>

	Split File	<none>
	N of Rows in Working Data File	99
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=x y /PLOT BOXPLOT STEMLEAF /COMPARE GROUP /STATISTICS EXTREME /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.499
	Elapsed Time	00:00:00.451

[DataSet2]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
self esteem	80	80.8%	19	19.2%	99	100.0%

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
self esteem	80	80.8%	19	19.2%	99	100.0%
Prokastinasi akademik	80	80.8%	19	19.2%	99	100.0%

Extreme Values

			Case Number	Value
self esteem	Highest	1	77	46.00
		2	39	45.00
		3	48	45.00
		4	53	44.00
		5	45	42.00 ^a
	Lowest	1	67	21.00
		2	22	23.00
		3	71	24.00

		4	76	25.00
		5	73	27.00 ^b
Prokastinasi akademik	Highest	1	60	52.00
		2	63	47.00
		3	77	47.00
		4	65	46.00
		5	80	45.00
	Lowest	1	36	22.00
		2	35	22.00
		3	25	22.00
		4	37	23.00
		5	16	24.00 ^c

a. Only a partial list of cases with the value 42.00 are shown in the table of upper extremes.

b. Only a partial list of cases with the value 27.00 are shown in the table of lower extremes.

c. Only a partial list of cases with the value 24.00 are shown in the table of lower extremes.

self esteem


self esteem Stem-and-Leaf Plot


Frequency Stem & Leaf

3.00	2 . 134
12.00	2 . 577777888999
31.00	3 . 000000001111222222223333344444
22.00	3 . 55555566667777888899
9.00	4 . 000112224
3.00	4 . 556

Stem width: 10.00

Each leaf: 1 case(s)





Prokastinasi akademik

Prokastinasi akademik Stem-and-Leaf Plot

Frequency Stem & Leaf


```

6.00  2 . 222344
11.00  2 . 57777899999
21.00  3 . 00111222222333344444
21.00  3 . 555566666677788889999
16.00  4 . 000111222223334
4.00  4 . 5677
1.00  5 . 2

```

Stem width: 10.00

Each leaf: 1 case(s)





LAMPIRAN B-2

LINEARITAS HUBUNGAN

* Curve Estimation.

TSET NEWVAR=NONE.

CURVEFIT

/VARIABLES=y WITH x

/CONSTANT

/MODEL=LINEAR

/PLOT FIT.

Curve Fit

Notes

Output Created		15-Aug-2016 14:47:37
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	99
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Cases with a missing value in any variable are not used in the analysis.

Syntax			CURVEFIT
			/VARIABLES=y WITH x
			/CONSTANT
			/MODEL=LINEAR
			/PLOT FIT.
Resources	Processor Time		00:00:00.250
	Elapsed Time		00:00:00.265
Use	From		First observation
	To		Last observation
Predict	From		First Observation following the use period
	To		Last observation
Time Series Settings (TSET)	Amount of Output		PRINT = DEFAULT
	Saving New Variables		NEWVAR = NONE
	Maximum Number of Lags in Autocorrelation or Partial Autocorrelation Plots		MXAUTO = 16
	Maximum Number of Lags Per Cross-Correlation Plots		MXCROSS = 7
	Maximum Number of New Variables Generated Per Procedure		MXNEWVAR = 60
	Maximum Number of New Cases Per Procedure		MPREDICT = 1000

Treatment of User-Missing Values	MISSING = EXCLUDE
Confidence Interval Percentage Value	CIN = 95
Tolerance for Entering Variables in Regression Equations	TOLER = .0001
Maximum Iterative Parameter Change	CNVERGE = .001
Method of Calculating Std. Errors for Autocorrelations	ACFSE = IND
Length of Seasonal Period	Unspecified
Variable Whose Values Label Observations in Plots	Unspecified
Equations Include	CONSTANT

[DataSet2]

Model Description

Model Name	MOD_1	
Dependent Variable	1	Prokastinasi akademik
Equation	1	Linear
Independent Variable		self esteem
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified

Case Processing Summary

	N
Total Cases	99
Excluded Cases ^a	19
Forecasted Cases	0
Newly Created Cases	0

a. Cases with a missing value in any variable are excluded from the analysis.

Variable Processing Summary


		Variables	
		Dependent	Independent
		Prokastinasi akademik	self esteem
Number of Positive Values		80	80
Number of Zeros		0	0
Number of Negative Values		0	0
Number of Missing Values	User-Missing	0	0
	System-Missing	19	19

Model Summary and Parameter Estimates

Dependent Variable:prokastinasi akademik

Equation	Model Summary					Parameter Estimates	
	R Square	F	df1	df2	Sig.	Constant	b1
Linear	.177	16.794	1	78	.000	17.434	.521

The independent variable is self esteem.





LAMPIRAN C
UJI HIPOTESIS KORELASI
PRODUCT MOMENT


```

REGRESSION

/DESCRIPTIVES MEAN STDDEV CORR SIG N

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA CHANGE

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT y

/METHOD=ENTER x.

```

Regression

Notes

Output Created		15-Aug-2016 14:48:43
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	99
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	<pre> REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x. </pre>	
Resources	Processor Time	00:00:00.062
	Elapsed Time	00:00:00.046
	Memory Required	1348 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet2]

Descriptive Statistics

	Mean	Std. Deviation	N
Prokastinasi akademik	35.0250	6.48850	80
self esteem	33.7500	5.23982	80

Correlations

		Prokastinasi akademik	self esteem
Pearson Correlation	Prokastinasi akademik	1.000	-.421
	self esteem	-.421	1.000
Sig. (1-tailed)	Prokastinasi akademik	.	.000
	self esteem	.000	.
N	Prokastinasi akademik	80	80
	self esteem	80	80

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	self esteem ^a		. Enter

a. All requested variables entered.

b. Dependent Variable: prokastinasi akademik

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change

1	.421 ^a	.177	.167	5.92336	.177	16.794	1	78
---	-------------------	------	------	---------	------	--------	---	----

a. Predictors: (Constant), self esteem

ANOVA^b

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	589.226	1	589.226	16.794	.000 ^a
	Residual	2736.724	78	35.086		
	Total	3325.950	79			

a. Predictors: (Constant), self esteem

b. Dependent Variable: prokastinasi akademik

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	17.434	4.343		4.014	.000
	self esteem	-.521	.127	.421	4.098	.000

a. Dependent Variable: prokastinasi akademik