

Prevalence of Dengue Hemorrhagic Fever in Asahan District Observed from the Age and Gender Perspectives in 2015-2016


By :

**DWI YOGA KARTIKA
158700008**

ABSTRACT

This research aims to determine the prevalence of DHF in 2015-2016. This research was conducted descriptively. The sample of this research was all the DHF cases that were registered in the Public Health Office of Asahan District in 2015-2016. The data source used secondary data in the form of DHF cases based on age and gender. The result of the research showed that the DHF cases in Asahan in 2015-2016 was more suffered by women with 5-14-year-old (children) and at least suffered by > 65-year-old (old age). The prevalence of DHF cases in Asahan in 2015 was 0.02% while in 2016 it was 0.1%.

Keywords: Prevalence, Dengue Hemorrhagic Fever, Asahan



摘要

本研究旨在确定2015 - 2016年DHF的患病率。这项研究是以描述性方式进行的。本研究的样本是2015-2016年在Asahan Health Service注册的所有DHF病例。数据源使用基于年龄和性别的DHF案例形式的二级数据。研究结果显示，2015-2016年Asahan的DHF病例更多地生活在5-14岁（儿童）的女性中，至少生活在> 65岁（老年）。2015年Asahan的DHF病例患病率为0.02%，而2016年为0.1%。

关键词：患病率，登革热出血热，Asahan



2015—2016 年の年齢と性別の観点から見たアサハン県における Dengue 出血熱の有病率

要旨

本研究の目的は、アサハン県で 2015—2016 年に出血熱の有病率を決定する。記述的手法を使用した。サンプルはすべて、2015 年から 2016 年にアサハン地区保健局で記録された Dengue 熱症例であった。データソースは、年齢層と性別に基づいた Dengue 熱データの形式でセカンドリデータを使用する。結果は、2015 年から 2016 年のアサハン地区の Dengue 熱の症例は 5-14 歳の年齢層（子供）でより多く、65 歳以上の最低年齢層（高齢者）を示した。セックスはより多くの女性に影響を与える。2015 年の Dengue 熱症例の有病率は 0.02% であり、2016 年には 0.1% であった。

キーワード：有病率、Dengue 出血熱、アサハン県

